

FEATURES

- Max Speed: 15000 RPM (22388 g).
- Max Capacity: 44 x 1.5/2 ml
- Temp Range: -20 °C to 40 °C

revolvescientific.com

REVOLVE REFRIGERATED CENTRIFUGE
15000RPM, 44-PLACE

REVOLVE SCIENTIFIC
RV-LS-15R



Max Speed: 15000 RPM
(22388 g).

ASK FOR DEMO

The Revolve Refrigerated Centrifuge keeps samples cool during centrifugation with adjustable temperature settings. A pre-set quick cooling mode chills the rotor chamber to 4°C lower than ambient temperatures in a very short time. The running temperature of the refrigerated centrifuge can be programmed to a remarkable low of -20°C. The Revolve Refrigerated Centrifuge maintains a constant temperature (±4°C) even at spinning speeds of up to 15,000 rpm.

revolvescientific.com



REVOLVE

REVOLVE
SCIENTIFIC



DO YOU KNOW

Preset feature of quick cooling mode - Rotor chamber attains 4°C from ambient temperature in quick 16 minutes

Specification

| | |
|---------------------------|--|
| Refrigeration Temp. Range | Down to -20°C |
| Speed Range | 500-15.000 RPM |
| Time Settings | 30 sec. - 999 min. or infinite |
| Display Large Back Lit | LCD |
| Programmable Feature | Up to 99 user-defined programs of 4 lines each |
| Lid Lock Safety Feature | YES |
| Imbalance Detection | YES |
| Dimensions (L x W x H) | 452 x 314 x 278mm |
| Weight | 43 KG (incl. rotor) |
| Warranty | 2 Years |



ORDERING INFORMATION

- RV-LS-15R Revolve Refrigerated Centrifuge 15000rpm, 44-place
- RV-2-F-24 Revolve Fixed angle rotor 24 1.5mL/ 2.0mL for LS-15R



- MICROPROCESSOR CONTROLLED CENTRIFUGE WITH VARIABLE SPEED AND TIME SETTING AND ALSO WITH LAST RUN MEMORY FUNCTION
- MAX CAPACITY OF 44 X 1.5 / 2 ML - DELIVERS UP TO 15000 RPM
- TIMER SETTING FROM 30 SECS TO 999 MINUTES AND INFINITE MODE
- TEMPERATURE SETTING FROM -20°C TO + 40°C
- IMBALANCE DETECTION AND LID LOCK SAFETY FEATURE

WEBSITE
WWW.REVOLVESCIENTIFIC.COM

